<u> </u>		T. A	
Notice of Allowability	Application No. Applicant(s)		
	10/040,252	MORGAN ET AL.	
	Examiner	Art Unit	1
	Haissa Philogene	2828	p
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS (herewith (or previously mailed), a Notice of Allowance (PTOL-85). NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGOT THE Office or upon petition by the applicant. See 37 CFR 1.313 1.	ars on the cover sheet with the cover sheet with the cover on this apport of the communication of the communicatio	orrespondence addre plication. If not include n will be mailed in due o o withdrawal from issue	d course. THIS e at the initiative
Applicant has THREE MONTHS FROM THE "MAILING DATE" of noted below. Failure to timely comply will result in ABANDONMI THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give	ENT of this application. Ited. Note the attached EXAMINER	'S AMENDMENT or NO	
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must (a) ☐ including changes required by the Notice of Draftspersor 1) ☐ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.1 each sheet. Replacement sheet(s) should be labeled as such in the 7. ☐ DEPOSIT OF and/or INFORMATION about the depose attached Examiner's comment regarding REQUIREMENT F. 	on's Patent Drawing Review (PTO- Amendment / Comment or in the C 84(c)) should be written on the drawing the header according to 37 CFR 1.121(sit of BIOLOGICAL MATERIAL r	Office action of ngs in the front (not the d). must be submitted. N	•
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/04 Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. ☐ Notice of Informal F 6. ☐ Interview Summary Paper No./Mail Da 7. ☑ Examiner's Amendr 8. ☑ Examiner's Stateme 9. ☐ Other	(PTO-413), te ment/Comment	wance

Art Unit: 2828

DETAILED ACTION

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In the Specification, page 2, between line 16 and line 17, delete amendment D' (of paper #16) and insert the following:

- --This application is a CIP of application serial # 09/742,017 filed 12/20/00 now abandoned which is a CON of 09/213,548 filed 12/17/98 now U.S. patent # 6,166,496.
- This application is a CIP of application serial # 09/815,418 filed 03/22/01 now U.S. patent # 6,577,080 which is a CON of application serial # 09/213,548 filed 12/17/98 now U.S. patent # 6,166,496.
- This application claims benefit of provisional application 60/071,281 filed 12/17/97, and claims benefit of provisional application 60/068,792 filed 12/24/97 and claims benefit of provisional application 60/078,861 filed 03/20/98, and claims benefit of provisional application 60/079,285 filed 03/25/98, and claims benefit of provisional application 60/090,920 filed 06/26/98.

Art Unit: 2828

Allowable Subject Matter

The following is an examiner's statement of reasons for allowance: The prior art fails to disclose an apparatus and method having a lighting fixture to generate variable color radiation to illuminate a liquid having a fist dimension less than 2.5 inches, said first dimension being essentially normal to the portion of the inner surface of the one of the pool and the spa when said lighting fixture is mounted on the portion of the inner surface (claims 9 and 31); said lighting fixture having a first dimension and comprising at least one mounting mechanism to mount said lighting fixture to the inner surface and said inner surface being formed from at least one magnetic material and said at least one mounting mechanism including at least one magnetic mechanism to mount said lighting fixture to the inner surface (claim 12); said lighting fixture being adapted to be mounted on the portion of the inner surface such that said lighting fixture does not protrude through the portion of the inner surface (claim 28). The remaining claims 10, 11, 13-16, 18-27, 29, 30, 32-39, 41—55 are allowed by virtue of their dependencies on the independent claims. Hence, the examiner has allowed claims 9-16, 18-39 and 41-55.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Page 4

Art Unit: 2828

Correspondence

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Haissa Philogene whose telephone number is (571) 272-1827. The examiner can normally be reached on 6:30 A.M.-6:00 P.M..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, MinSun Harvey can be reached on (571) 272-1835. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

hp